


Fariuno parete/soffitto

Luminaire for accent lighting operating 230V without any transformer; can be oriented in every direction. Available as wall, ceiling and track three-phase universal version. Four arm lengths for wall, ceiling and track version.




LUMINAIRE	
finish	silver
code	901
materials	technopolymers
environment	interiors
mounting location	wall/ceiling
emission	direct pointing light
weight	0,3 kg
tension	230V
insulation class	2
IP classification	IP20
marks	CE
design Franco Bettonica, Mario Melocchi, 1994	

LIGHT SOURCE	
source	PAR30 directional
type	led, halogen or fluorescent
socket	E27
lamp included	no
number of lamps	1
power	max 100W
height	max 95 mm
weight	max 0,25 kg

VERSIONS	
Fariuno parete/soffitto 25	silver cod 906
480 18 7/8"	
Fariuno parete/soffitto 50	silver cod 911
730 28 3/4"	
Fariuno parete/soffitto 100	silver cod 916
1230 48 3/8"	

Fariuno parete/soffitto 25

Luminaire for accent lighting operating 230V without any transformer; can be oriented in every direction. Available as wall, ceiling and track three-phase universal version. Four arm lengths for wall, ceiling and track version.



LUMINAIRE

finish	silver
code	906
materials	technopolymers
environment	interiors
mounting location	wall/ceiling
emission	direct pointing light
weight	0,6 kg
tension	230V
insulation class	2
IP classification	IP20
marks	CE
design Franco Bettonica, Mario Melocchi, 1994	

LIGHT SOURCE

source	PAR30 directional
type	led, halogen or fluorescent
socket	E27
lamp included	no
number of lamps	1
power	max 100W
height	max 95 mm
weight	max 0,25 kg

VERSIONS

Fariuno parete/soffitto



silver
cod 901

250
9 7/8"

Fariuno parete/soffitto 50



silver
cod 911

730
28 3/4"

Fariuno parete/soffitto 100




silver
cod 916

1230
48 3/8"

Fariuno parete/soffitto 50

Luminaire for accent lighting operating 230V without any transformer; can be oriented in every direction. Available as wall, ceiling and track three-phase universal version. Four arm lengths for wall, ceiling and track version.



LUMINAIRE

finish	silver
code	911
materials	technopolymers
environment	interiors
mounting location	wall/ceiling
emission	direct pointing light
weight	0,6 kg
tension	230V
insulation class	2
IP classification	IP20
marks	CE
design Franco Bettonica, Mario Melocchi, 1994	

LIGHT SOURCE

source	PAR30 directional
type	led, halogen or fluorescent
socket	E27
lamp included	no
number of lamps	1
power	max 100W
height	max 95 mm
weight	max 0,25 kg

VERSIONS

Fariuno parete/soffitto



silver
cod 901

250
9 7/8"


Fariuno parete/soffitto 25



silver
cod 906

480
18 7/8"

Fariuno parete/soffitto 100




silver
cod 916

1230
48 3/8"

CINI & NILS

Fariuno parete/soffitto 100

Luminaire for accent lighting operating 230V without any transformer; can be oriented in every direction. Available as wall, ceiling and track three-phase universal version. Four arm lengths for wall, ceiling and track version.



LUMINAIRE	
finish	silver
code	916
materials	technopolymers
environment	interiors
mounting location	wall/ceiling
emission	direct pointing light
weight	0,6 kg
tension	230V
insulation class	2
IP classification	IP20
marks	CE
design Franco Bettonica, Mario Melocchi, 1994	



LIGHT SOURCE	
source	PAR30 directional
type	led, halogen or fluorescent
socket	E27
lamp included	no
number of lamps	1
power	max 100W
height	max 95 mm
weight	max 0,25 kg

VERSIONS	
Fariuno parete/soffitto	
 250 9 7/8"	silver cod 901
Fariuno parete/soffitto 25	
 480 18 7/8"	silver cod 906
Fariuno parete/soffitto 50	
 730 28 3/4"	silver cod 911