












# miniTenso Accessories


| <b>TensoCavo</b>   |   | Finish   | Code              | Dimensions   |
|--|---|--|-------------------|--|
| <p>TensoCavo (also for minitenso) support<br/>TensoLuminaires and power them allowing two separate lightings.</p> <p>CE  IP20</p> |    | <b>transparent</b>                             | <b>790 12,5 m</b> |                                |
|  |   |  | <b>791 20 m</b>   |  |
| <b>792 33 m</b>  |   |  |                   |  |
| <b>793 100 m</b>   |   |  |                   |  |
| <b>miniTensoAttacchi</b>   |   | Finish   | Code              | Dimensions   |
| <p>miniTensoAttacchi for installing TensoCavi on walls, ceilings or floors</p> <p>CE  IP20</p>                                    |    | <b>chrome<br/>silver<br/>bianco</b>            | <b>301</b>        |   |
|  |   |  | <b>329</b>        |  |
| <b>329B</b>  |   |  |                   |  |
|  |   |  |                   |  |
| <b>miniTensoDistanziatori</b>  |   | Finish   | Code              | Dimensions   |
| <p>minitensoDistanziatori for installing TensoCavi where walls are not available.</p> <p>CE</p>  |  | <b>chrome<br/>h max 54 cm</b>                  | <b>305</b>        |    |
|  |   |  |                   |  |
|  |   |  |                   |  |
|  |   |  |                   |  |
| <b>TensoSostegni</b>   |   | Finish   | Code              | Dimensions   |
| <p>TensoSostegni (also for miniTenso) reduce the strain on TensoCavi.</p> <p>CE</p>  |  | <b>chrome/<br/>transparent<br/>h max 1,5 m</b> | <b>741</b>        |  |
|  |   |  | <b>740</b>        |  |
|  |   |  |                   |  |
|  |   |  |                   |  |

| TensoTransiti | Finish | Code | Dimensions |
|---------------|--------|------|------------|
|---------------|--------|------|------------|

TensoTransiti  
(also for  
miniTensoTransiti)  
deviate TensoCavi  
from walls, ceiling  
or floors




**chrome**      **728**

  
 $\frac{\varnothing 2,5}{1''}$      $\frac{3}{1\frac{1}{4}''}$

CE

| miniTensoTiranti | Finish | Code | Dimensions |
|------------------|--------|------|------------|
|------------------|--------|------|------------|



miniTensoTiranti  
deviate TensoCavi  
in mid-air, bringing  
them closer to ceilings  
and walls.



**chrome/  
chrome**      **306**

**chrome/  
silver**      **333**


**chrome/  
white**      **333B**

$\frac{19,4}{7\frac{5}{8}''}$   
  
 $\frac{24}{9\frac{7}{16}''}$      $\frac{3,6}{1\frac{1}{16}''}$   
  
 $\frac{17,4}{6\frac{7}{8}''}$      $\frac{\varnothing 2,5}{1''}$

CE

| miniTensoAngolari | Finish | Code | Dimensions |
|-------------------|--------|------|------------|
|-------------------|--------|------|------------|



miniTensoAngolari  
deviate TensoCavi  
in mid-air at angles  
of 90° and 120°.



**chrome/  
chrome**      **308**

**chrome/  
silver**      **335**


**chrome/  
white**      **335B**

$\frac{19,4}{7\frac{5}{8}''}$   
  
 $\frac{24}{9\frac{7}{16}''}$      $\frac{3,6}{1\frac{1}{16}''}$   
  
 $\frac{25,4}{10''}$




CE

| miniTensoAttacchi contrapposti + Alimentatori | Finish | Code | Dimensions |
|---|--------|------|------------|
|---|--------|------|------------|

miniTensoAttacchi  
contrapposti +  
Alimentatori  
for closed,  
ceiling-powered,  
polygonal installations,  
in combination  
with TensoAngolari.



**chrome**      **303**  
**silver**      **331**  
**white**      **331B**


  
  
  
 $\frac{24}{9\frac{7}{16}''}$   
max 150  
max 59"

CE  IP20

### miniTensoAlimentatori

miniTensoAlimentatori power TensoCavi when there is no power point handy for the TensoAttacchi.

CE  IP20



Finish

Code

Dimensions

**chrome/  
chrome**


**310**

**silver/  
silver**

**337**

**white/  
white**

**337B**



### TensoConnettori

TensoConnettori (also for miniTenso) connect pairs of Tenso/miniTensoCavi so they can be powered by one power point.

CE  IP20




Finish

Code

Dimensions

**chrome  
silver  
white**

**745  
763  
763B**



### TensoInterruttori

TensoInterruttori (anche per miniTenso) double the switching and power installable when TensoCavi are powered by both miniTensoAttacchi.

CE  IP20



Finish

Code

Dimensions

**chrome  
silver  
white**

**747  
764  
764B**

